Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21850	(encod\$4 or configur\$4) with (request or xml or tag\$4 or "extensible markup language") and @ad<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 08:35
L2	440	(encod\$4 or configur\$4) with (request or xml or tag\$4 or "extensible markup language") with (router or bridge or LAN or WAN) and @ad<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 08:35
L3	96	(encod\$4 or configur\$4) with (request or xml or tag\$4 or "extensible markup language") with (router or bridge or LAN or WAN) with server and @ad<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 08:35
L4	4	(encod\$4 or configur\$4) with (request or xml or tag\$4 or "extensible markup language") with (router or bridge or LAN or WAN) with server same (pars\$4) with (request) and @ad<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 08:36
S1	9039	(709/217,218,224,227,310).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:44
S2	1869	(707/2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:41
S3	2561	(705/14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:42
S4	4201	(rout\$4) same configurat\$4 same request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:40
S5	50	(rout\$4) same configurat\$4 same request\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:54

S6	2	(S1 or S2 or S3)and (rout\$4) same configurat\$4 same request\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/12/08 11:46
<b>S7</b>	2	(S1 or S2 or S3)and (rout\$4) same configurat\$4 same request\$4 same (xml or "extensible markup language")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:51
S8	3	emit\$4 same (respons\$2 or repl\$4) same (xml or "extensible markup language") same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:52
S9	8	(rout\$4)same (tabl\$2) same configurat\$4 same request\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:54
S10	4	(rout\$4)near4 (tabl\$2) same configurat\$4 same request\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:57
S11	21	configurat\$4 same request same encod\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:36
S12	21	configurat\$4 same request same encod\$4 same (xml or "extensible markup language")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:37
S13	15	configurat\$4 same request same encod\$4 same (xml or "extensible markup language") and (rout\$4 or WAN or hub or LAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:37
S14	24908973	((rout\$4) same configurat\$4 same request\$4)@pd<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:42
S15	11061	((rout\$4) same configurat\$4 same request\$4)@pd="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:44

S17	7195	(S1 or S2 or S3)and ((rout\$4) same configurat\$4 same request\$4)@pd="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:44
S19	20154	(S1 or S2 or S3)@pd="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:46
S20	2	S19 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:48
S21	335	S19 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:10
S22	161	S21 and (rout\$4) same table\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:11
S23	10	(("6640241") or ("5964844") or ("6671869") or ("6735630") or ("6434543")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:12
S24	305	(xml or "extensible markup language") same request same rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S25	130	(xml or "extensible markup language") same request same rout\$4 and (pars\$4 or examin\$4 or analyz\$4) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:14
S26	17	(xml or "extensible markup language") same request same rout\$4 and (pars\$4 or examin\$4 or analyz\$4) same configurat\$4 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S27	9039	(709/217,218,224,227,310).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15

			<del></del>			
S28	1869	(707/2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S29	2561	(705/14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S30	20154	(S27 or S28 or S29)@pd="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S31	23	S30 and (xml or "extensible markup language") same request same rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:25
S32	0	S30 and (xml or "extensible markup language") same request same rout\$4 and (pars\$4 or examin\$4 or analyz\$4) same configurat\$4 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:15
S33	27984	(manag\$4) same rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:26
S34	5176	(manag\$4) same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:29
S35	527	S34 and (xml or "extensible markup language")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:27
S36	360	S34 and (xml or "extensible markup language") and ((control\$4 or configur\$4) same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:29
S37	12	S34 and (xml or "extensible markup language") and ((control\$4 or configur\$4) same (network adj router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:29

S38	0	S30 and S34 and (xml or "extensible markup language") and ((control\$4 or configur\$4) same (network adj router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:29
S39	450	S30 and (manag\$4) same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:29
S40	37	S30 and S34 and (xml or "extensible markup language") and ((control\$4 or configur\$4) same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:37
S41	90	("6393456" "6418448" "6351748" "6449633" "6529905" "6574655" "6606642" "6658429" "6721871" "6829606" "5949974" "5799072" "6041349" "6711613" "6219708" "6219708" "6219708" "6434141" "6748473" "6697818" "6421673" "6442460" "6826716" "6629002" "6795854" "5926463" "5859852" "5586121" "5818845" "5828655" "5835727" "6031836" "6104727" "5898823" "5946322" "6005850" "6016316" "6078952" "6144987" "6151326" "6018721" "6038594" "6061334" "6512744" "5541911" "5634010" "5740424" "5802042" "5812779" "5905872").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:45
S42	100	("5966513" "6085238" "6172991" "6226644" "6226644" "6289377" "6584074" "6760775" "6779039" "6014700" "6044369" "6128644" "6003083" "6047324" "6049528" "6075776" "6137791" "6272537" "6279037" "6327620" "6374299" "6415331" "6446141" "6493446" "6529882" "6584491" "6728748" "6167448" "6405211" "6529941" "6636845" "6721727" "6748382" "6792577" "6032266" "6148411" "6094649" "6279006" "6347307" "6356907" "6366934" "6421656" "6453329" "6519597" "6535884" "6584459" "6647410" "6654737" "6665663" "6667817").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:56

S43	96	("6701328" "6728694" "6748569" "6754648" "6763343" "6785685" "6795868" "6817008" "6820135" "6826582" "6041041" "6067557" "6212559" "6212559" "6335919" "6553031" "6665273" "6798993" "6320845" "6621791" "5720035" "6091737" "6115362" "6160795" "6269398" "6400722" "6401117" "6421730" "6625689" "6701338" "5319644" "5537099" "5802309" "6115041" "6282169" "6414958" "6421714" "6463133" "6490617" "6501757" "6718379" "6202087" "6336137" "6697805" "6012098" "6012984" "6055569" "6249844" "6463440" "6476833").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:48
S44	1225	(configuration and operational) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:28
S45	487	(configuration same operational) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:30
S46	7	(configuration same operational) same request same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:30
S47	0	(S42 or S43) and (configuration same operational) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:30
S48	12	(configuration near2 request) and (operational near2 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:32
S49	7	((configuration near2 request) and (operational near2 request) and router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:33
S50	2	((configuration near2 request)same router) and ((operational near2 request) and router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:34

S51	3	((configuration near4 request)same router) and ((operational near4 request) and router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:10
S52	26	((configurat\$4 near4 request)same router) and ((operat\$5 near4 request) and router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:16
S53	10	((configurat\$4 near4 request)same router) and ((operat\$5 near4 request) same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/12/09 16:16
S54	644	xml adj2 tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:48
S55	7	xml adj2 tag same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:48
S56	99	xml adj2 tag and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:49
S57	1	(xml adj2 tag and router).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:50
S58	2	(xml adj2 tag).ab. and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:50
S59	2	("6212559").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:06
S60	7	(("6640241") or ("6212559") or ("6510434")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:41

S61	6339	(render\$4 or unrender\$4) adj2 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:41
S62	0	(render\$4 and unrender\$4) adj2 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:42
S63	99	(render\$4 or unrender\$4) adj2 display same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:42
S64	32	(render\$4 or unrender\$4) adj2 display same xml and @ad<="20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:47
S65	2	("5964844").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:47
S66	11337	(709/217,218,224,227,310).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:46
S67	11337	S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:46
S68	2174	(707/2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:46
S69	2174	S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:47
S70	3294	(705/14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:47

S71	3294	S70	US-PGPUB;	OR	ON	2005/12/15 08:32
			USPAT;			
			EPO; JPO;			
			DERWENT;			
	!	·	IBM_TDB			